

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S24	3	S22 and (print\$5 with inver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:11
S25	25	S22 and (print\$5 with (mirror\$5 or inver\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:11
S26	63	(print\$5 same (buffer\$5 or spool\$5) same preview\$5) and ((print\$5 near2 data) with application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:11
S27	3	S26 and (print\$5 with inver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:11
S28	26	S26 and (print\$5 with (mirror\$5 or inver\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 12:11
S29	4	S26 and (print\$5 near2 (mirror\$5 or inver\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:14
S30	2	"6339477".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:15
S31	2	"6084685".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:26
S34	1	"6661530".pn. and (2-22 and preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:28
S35	1	"6661530".pn. and (2-12 same (print\$5 adj2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:32

S36	0	"6661530".pn. and (2-4 same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:32
S37	1	"6661530".pn. and (2-10 same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:44
S38	0	"6661530".pn. and (2-25 same (mirror\$5 or inver\$9 or flip\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:45
S39	1	"6661530".pn. and (2-25 and (mirror\$5 or inver\$9 or flip\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:45
S40	1	"6661530".pn. and (preview\$6 and (mirror\$5 or inver\$9 or flip\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:47
S41	1	"6661530".pn. and (2-25 and (mirror\$5 or inver\$9 or flip\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:47
S42	1	"6661530".pn. and (2-23 and (mirror\$5 or inver\$9 or flip\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:49
S43	1	"6661530".pn. and (print\$5 same data same (mirror\$5 or inver\$9 or flip\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:50
S44	0	"6661530".pn. and ((send\$5 near3 (print\$5 adj data)) same (mirror\$5 or inver\$9 or flip\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:51
S45	1	"6661530".pn. and ((send\$5 near3 (print\$5 adj data)) and (mirror\$5 or inver\$9 or flip\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:51
S46	1	"6661530".pn. and (((receiv\$5 or send\$5) near3 (print\$5 adj data)) and (mirror\$5 or inver\$9 or flip\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 16:59

S47	1	"6661530".pn. and ((print\$5 adj2 setting) same (mirror\$5 or inver\$9 or flip\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 17:01
S48	1	"6101244".pn. and color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 17:03
S49	2	"6882446".pn. and color	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 17:06
S50	2	"6356356".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 17:07
S51	1	"6356356".pn. and scan\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/30 17:07
S32	0	"6661530".pn. and (2-22 same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:48
S54	1	"6661530".pn. and (receiv\$5 same application same (print\$5 adj2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:49
S55	0	"6661530".pn. and (2-24 same receiv\$5 same application same (print\$5 adj2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:50
S56	1	"6661530".pn. and (2-24 and receiv\$5 same application same (print\$5 adj2 data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:50
S57	1	"6661530".pn. and (2-24 and application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:51
S58	1	"6661530".pn. and (2-24 and 2-3 and application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 15:55

S59	1	"6661530".pn. and (2-18)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:01
S61	1	"6661530".pn. and ((flip\$4 or inver\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:06
S60	1	"6661530".pn. and ((flip\$4 or inver\$6) same setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:17
S62	1	"6661530".pn. and 2-21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:18
S63	1	"6661530".pn. and 2-21 and 2-8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:19
S64	2	"6661530".pn. and overlap\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:24
S67	1	"6661530".pn. and 2-5 and 2-18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:29
S65	1	"6661530".pn. and 2-23 and preview\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:48
S66	1	"6661530".pn. and (2-12 same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:48
S68	1	"6661530".pn. and (after near3 preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:49
S69	1	"6661530".pn. and (print\$5 near3 preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:50

S70	0	"6661530".pn. and ((print\$5 adj2 interface) same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 16:50
S71	1	"6661530".pn. and ((print\$5 adj2 processor) same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:12
S72	1	"6661530".pn. and (send\$5 same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:14
S73	0	"6661530".pn. and ((send\$5 near4 (print\$5 adj data)) same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:14
S74	1	"6661530".pn. and (((print\$5 adj data)) same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:15
S75	1	"6661530".pn. and (preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:16
S76	1	"6661530".pn. and (after same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:18
S77	0	"6661530".pn. and (2-24 same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:18
S78	1	"6661530".pn. and (2-24 andpreview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:18
S79	1	"6661530".pn. and (2-24 and preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:20
S80	1	"6661530".pn. and (flow with preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:28

S81	0	"6661530".pn. and (user near3 request\$5 near3 preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:29
S82	1	"6661530".pn. and (user near5 preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:31
S83	1	"6661530".pn. and (preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:33
S84	1	"6661530".pn. and (preview\$5) and (print\$5 near2 driver)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/31 17:33
S85	2	"6661530".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:27
S86	1	"6661530".pn. and (preview\$5 same inver\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:29
S87	0	"6661530".pn. and ((print\$5 adj2 data) same preview same 2-4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:29
S88	0	"6661530".pn. and ((print\$5 adj2 data) same preview\$5 same 2-4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:29
S89	0	"6661530".pn. and (preview\$5 same 2-4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:29
S90	1	"6661530".pn. and ((print\$5 adj2 data) same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:30
S91	1	"6661530".pn. and ((print\$5 adj2 data) same preview\$5) and (2-10 same 2-4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:43

S93	0	"6661530".pn. and (preview\$5 near3 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:43
S94	1	"6661530".pn. and (preview\$5 near3 select\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:44
S95	7	"924724".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:44
S96	0	"924724".ap. and (preview\$5 same after same (job near3 creat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:44
S97	1	"924724".ap. and (preview\$5 same (job near3 creat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:47
S98	1	"924724".ap. and (preview\$5 same (job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:48
S99	1	"924724".ap. and (preview\$5 same creat\$5 same (job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:50
S10 1	1	"924724".ap. and (after same (job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:50
S10 2	1	"924724".ap. and (before same (job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:50
S10 3	1	"924724".ap. and (before same (preview\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:51
S10 4	1	"924724".ap. and ((creat\$5 adj2 job) same (preview\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:51

S10 5	1	"924724".ap. and ((creat\$5 adj2 job) and (preview\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:52
S92	0	"6661530".pn. and (preview\$5 near3 button)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:55
S10 6	1	"6661530".pn. and (2-21)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:56
S10 7	0	"6661530".pn. and (2-21 same 2-8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:56
S10 8	1	"6661530".pn. and (2-21 and 2-8)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 10:58
S10 9	1	"6661530".pn. and (2-21 same updat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:00
S11 0	1	"6661530".pn. and (2-14)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:01
S11 1	1	"6661530".pn. and (user with preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:03
S11 2	1	"6661530".pn. and (2-21 same receiv\$5 same overlap\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:10
S11 3	1	"6661530".pn. and (user same updat\$5 same 2-14)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:11
S11 4	1	"6661530".pn. and (user same updat\$5 same 2-14) and preview\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:11

S11 5	1	"6661530".pn. and (user same updat\$5 same 2-14) and (preview\$5 same 2-14)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:23
S11 6	0	"6661530".pn. and (2-21 near3 receiv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:23
S11 7	1	"6661530".pn. and (2-21 same receiv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:23
S11 8	0	"6661530".pn. and (2-17 near3 receiv\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:23
S11 9	1	"6661530".pn. and (2-21)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:30
S12 0	1	"6661530".pn. and (updat\$5 same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:31
S12 1	1	"6661530".pn. and ((updat\$5 near3 setting) same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:31
S10 0	1	"924724".ap. and (after same creat\$5 same (job))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 11:44
S12 2	1	"924724".ap. and (mirror\$5 same inver\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:42
S12 3	1	"6661530".pn. and (2-13 same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:45
S12 4	1	"6661530".pn. and (layout near3 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:45

S12 5	1	"6661530".pn. and (layout same page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:49
S12 7	544	(nup or n-up or (n adj2 up)) same print\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:51
S12 8	106	(nup or n-up or (n adj2 up)) same (print\$5 near2 setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:51
S13 0	64	S129 and (print\$5 with preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:52
S13 1	1	S130 and ((mirror\$5 or inver\$6 or flip\$5 or rotat\$5) near4 print\$5 near3 (setting or mode or option))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:53
S13 3	35	S130 and ((mirror\$5 or inver\$6 or flip\$5 or rotat\$5) same (setting or mode or option))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:53
S13 2	46	S130 and ((mirror\$5 or inver\$6 or flip\$5 or rotat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 13:58
S12 9	164	(nup or n-up or (n adj2 up)) same (print\$5 near2 (option or mode or setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:01
S13 6	4	(nup or n-up or (n adj2 up)) same (mirror\$5 or inver\$6 or flip\$5 or rotat\$5) same (print\$5 near2 (option or mode or setting))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:02
S13 7	70	(nup or n-up or (n adj2 up)) same (mirror\$5 or inver\$6 or flip\$5 or rotat\$5) same (print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:10
S13 8	18	((nup or n-up or (n adj2 up)) with (mirror\$5 or inver\$6 or flip\$5 or rotat\$5)) same (print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:10

S12 6	2	"5995985".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:17
S13 9	1	"5995985".pn. and (page near3 flip\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:18
S14 0	3	("5995985").URPN.	USPAT	OR	ON	2006/02/01 14:18
S14 1	11	("4928229" "5091868" "5241464" "5487141" "5544285" "5559934" "5563998" "5563999" "5608898" "5615316" "5621864").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/02/01 14:19
S13 4	77	S129 and ((mirror\$5 or inver\$6 or flip\$5 or rotat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:21
S14 2	527	(n near3 page near3 print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:21
S14 3	298	S142 and ((mirror\$5 or inver\$6 or flip\$5 or rotat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:21
S13 5	46	S134 and preview\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 14:22
S14 4	57	S143 and preview\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:05
S14 5	0	"5995985".pn. and nup	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:05
S14 6	0	"5995985".pn. and n-up	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:05

S14 7	0	"5995985".pn. and (physical near3 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:05
S14 8	1	"5995985".pn. and (physical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:06
S14 9	0	"5995985".pn. and (logical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:06
S15 0	1	"5995985".pn. and (frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:09
S15 1	1	"5995985".pn. and (page near2 order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:10
S15 2	1	"5995985".pn. and (order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:17
S15 3	1	"5995985".pn. and (revers\$5 near3 flag)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:18
S15 4	1	"5995985".pn. and (page adj3 number\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:19
S15 5	1	"5995985".pn. and (revers\$5 near2 order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:20
S15 6	0	"5995985".pn. and (inver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:37
S15 7	0	"6091861".pn. and monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/01 15:37

S22	56	(print\$5 same spool\$5 same preview\$5) and ((print\$5 near2 data) with application)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 16:08
S15 8	1	"6842262".pn. and order\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 16:15
S15 9	1	((mirror\$5 or inver\$5 or flip\$5) near7 (n\$3up or (multi\$3page) or (multiple adj2 page) or (("2" or "4" or "6" or "8") adj2 up))) same (print\$5 near4 setting)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 16:26
S16 0	72	((mirror\$5 or inver\$5 or flip\$5) near7 (n\$3up or (multi\$3page) or (multiple adj2 page) or (("2" or "4" or "6" or "8") adj2 up))) same (print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 16:28
S16 2	230	((mirror\$5 or inver\$5 or flip\$5) same (n\$3up or (multi\$3page) or (multiple adj2 page) or (("2" or "4" or "6" or "8") adj2 up))) same (print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 16:35
S16 1	7	S160 and (page near3 order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 16:37
S16 4	15	S163 and (page near3 order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 16:37
S16 5	3	S163 and (physical near2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 16:38
S16 3	172	((mirror\$5 or inver\$5) same (n\$3up or (multi\$3page) or (multiple adj2 page) or (("2" or "4" or "6" or "8") adj2 up))) same (print\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 16:41
S16 6	20	S163 and (preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 16:42
S16 8	17	S167 and (preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 16:42

S16 7	85	((mirror\$5 or inver\$5) same (n\$3up or (multi\$3page) or (multiple adj2 page) or (("2" or "4" or "6" or "8") adj2 up))) and (print\$5 near2 set\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 16:46
S16 9	919	((mirror\$5 or inver\$5) and (n\$3up or (multi\$3page) or (multiple adj2 page) or (("2" or "4" or "6" or "8") adj2 up))) and (print\$5 near2 set\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/02 16:48
S17 0	88	((mirror\$5 or inver\$5) and ((page near3 order\$5) same ((n\$3up or (multi\$3page) or (multiple adj2 page) or (("2" or "4" or "6" or "8") adj2 up)))) and (print\$5 near2 set\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:03
S17 2	44	S171 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:05
S17 1	88	((mirror\$5 or inver\$5) and ((page near3 order\$5) same ((n\$3up or (multi\$3page) or (multiple adj2 page) or (("2" or "4" or "6" or "8") adj2 up)))) and (print\$5 near2 set\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:13
S17 3	1	((mirror\$5 or inver\$5) same (print\$5 near2 set\$5)) and ((n\$3up or (multi\$3page) or (multiple adj2 page) or (("2" or "4" or "6" or "8") adj2 up)) same (((logical or physical) near2 page) or (single near2 page)) same (print\$5 near2 set\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:19
S17 4	1	((mirror\$5 or inver\$5) same (print\$5 near2 set\$5)) and ((n\$3up or (multi\$3page) or (multiple adj2 page) or (("2" or "4" or "6" or "8") adj2 up)) same (print\$5 near2 set\$5)) and ((logical or physical) near2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:22
S17 5	12	((mirror\$5 or inver\$5) same (print\$5 near2 set\$5)) and ((n\$3up or (multi\$3page) or (multiple adj2 page) or (("2" or "4" or "6" or "8") adj2 up)) same (print\$5 near2 set\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:27
S17 6	195654	(n\$3up or (("2" or "4" or "6" or "8") adj2 up) or (2\$3up or 4\$3up or 8\$3up) or (((multi\$3page) or (multiple adj2 page)) with (single near2 page)) same (print\$5 near2 set\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:29

S17 7	43	S176 and ((mirror\$5 or inver\$5) near3 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:31
S17 8	58654	((n\$3up or (("2" or "4" or "6" or "8") adj up) or (2\$3up or 4\$3up or 8\$3up) or (((multi\$3page) or (multiple adj2 page)) with (single near2 page)) same (print\$5 near2 set\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:39
S18 2	16	S180 and ((page near3 order\$5) same (flip\$5 or mirror\$5 or inver\$6 or rotat\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:41
S18 3	5	S182 not canon	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:41
S18 0	192	((n\$3up or (("2" or "4" or "6" or "8") adj up) or (2\$3up or 4\$3up or 8\$3up)) same (print\$5 near2 set\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:42
S18 1	82	S180 and (page near3 order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:44
S18 5	99	S184 and (page near3 (sequenc\$5 or order\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:44
S17 9	26	S178 and ((mirror\$5 or inver\$5) near3 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:45
S18 6	7	S185 and ((mirror\$5 or inver\$5 or flip\$5) near3 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:45
S18 4	250	((n\$3up or (("2" or "4" or "6" or "8") adj up) or (2\$3up or 4\$3up or 8\$3up)) same (print\$5 near2 (option or mode or set\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:47

S18 7	2	((n\$3up or (("2" or "4" or "6" or "8") adj up) or (2\$3up or 4\$3up or 8\$3up)) same ((mirror\$5 or inver\$5 or flip\$5) near3 page) same (print\$5 near2 (option or mode or set\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:48
S18 8	15	((n\$3up or (("2" or "4" or "6" or "8") adj up) or (2\$3up or 4\$3up or 8\$3up)) same ((mirror\$5 or inver\$5 or rever\$5 or flip\$5) near3 page) same (print\$5 near2 (option or mode or set\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:50
S18 9	36	((n\$3up or (("2" or "4" or "6" or "8") adj up) or (2\$3up or 4\$3up or 8\$3up)) same (order\$5 near3 page) same (print\$5 near2 (option or mode or set\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 10:55
S19 0	15	((n\$3up or (("2" or "4" or "6" or "8") adj up) or (2\$3up or 4\$3up or 8\$3up)) same ((mirror\$5 or inver\$6 or rever\$5 or flip\$5 or reflect\$5) near3 page) same (print\$5 near2 (option or mode or set\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 11:02
S19 1	3238	((n\$3up or (("2" or "4" or "6" or "8") adj up) or (2\$3up or 4\$3up or 8\$3up)) with (set\$5 or option or mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 11:04
S19 3	472458	((copy\$5 or print\$5 or output\$5) near4 (set\$5 or option or mode))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 11:04
S19 5	52	S194 and preview\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 11:05
S19 2	124850	((mirror\$5 or inver\$6 or rever\$5 or flip\$5 or reflect\$5) near3 (data or page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 11:22
S19 4	192	S191 and S192 and S193	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 11:22
S19 7	29	S191 and S196 and S193	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 11:22

S19 6	2139	((mirror\$5 or inver\$6 or rever\$5 or flip\$5 or reflect\$5) near5 logical near5 (data or page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 11:25
S19 9	11	"895184"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 11:42
S19 8	45	((mirror\$5 or inver\$6 or rever\$5 or flip\$5 or reflect\$5) near5 logical near5 (page)) and (physical near2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 11:47
S20 0	32	((mirror\$5 or inver\$6 or rever\$5 or flip\$5 or reflect\$5) near5 logical near5 (page)) same (physical near2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 11:47
S20 1	33	((mirror\$5 or inver\$6 or rever\$5 or flip\$5 or reflect\$5) near5 logical near5 (page)) same ((single or physical) near2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 11:49
S20 2	28	((mirror\$5 or inver\$6 or rever\$5 or flip\$5) near5 logical near5 (page)) same ((single or physical) near2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:00
S20 4	35	S203 and ((n\$3up or ("2" or "4" or "6" or "8") adj up) or (2\$3up or 4\$3up or 8\$3up)) same (print\$5 near2 (option or mode or set\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:02
S20 3	284	((mirror\$5 or inver\$6 or rever\$5 or flip\$5) near5 (page)) same ((single or physical) near2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:03
S20 5	51	((mirror\$5 or inver\$6 or rever\$5 or flip\$5) near5 logical near2 (page))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:08
S20 6	1	"6101513".pn. and (page near3 order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:09
S20 7	0	"6101513".pn. and (page near3 order\$5) same logical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:09

S208	1	"6101513".pn. and logical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:09
S209	1	"6101513".pn. and (page near3 order\$5) same inver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:11
S210	1	"6101513".pn. and (virtual same multiple)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:22
S211	1	"6101513".pn. and (order\$5 same inver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:22
S212	1	"6101513".pn. and (order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:23
S213	1	"6101513".pn. and (order\$5 near2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:26
S214	0	"6101513".pn. and (order\$5 near3 chang\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:26
S215	0	"6101513".pn. and (order\$5 near3 fix\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:26
S216	1	"6101513".pn. and (order\$5 with (vpage or virtual))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 12:28
S217	1	"6101513".pn. and (order\$5 with (vpage or virtual)) same inver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 13:33
S218	2	"6661530".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 13:38

S21 9	1	"6101513".pn. and inver\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 13:43
S22 0	1	"6101513".pn. and (inver\$5 same (virtual) same physical)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 13:49
S22 1	0	"6101513".pn. and (display\$5 same inver\$5 same order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 13:50
S22 2	0	"6101513".pn. and (display\$5order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 13:50
S22 3	1	"6101513".pn. and (display\$5 same order\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 13:50
S22 5	1	"6101513".pn. and (display\$5 same preview\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 13:51
S22 4	0	"6101513".pn. and (display\$5 same (page near3 order\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 13:52
S22 6	1	"6101513".pn. and (inver\$6' same (page near3 order\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 13:52
S22 7	1	"6101513".pn. and (inver\$6 same (page near3 order\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 13:53
S22 8	1	"6101513".pn. and (inver\$6 and (page near3 order\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/03 14:04